

GBA Gesellschaft für Bioanalytik mbH · Goldtschmidtstr. 5 · 21073 Hamburg

ZeinPharma Germany GmbH

Industriestraße 29  
64569 Nauheim

ISO 14001  
ISO 45001  
zertifiziert



Unser Zeicher Wog  
Datum: 29.03.2021

## Untersuchungsbescheinigung

**Produkt:** OptiMSM 1000 mg 120 Kapseln  
Probe-Nr.: 00386, Charge: C20120430, MHD: 30.09.2024

In der oben genannten Probe (Prüfberichtsnummer 21014402 - 001) wurden folgende Parameter untersucht:

Gesamtkeimzahl	E. coli
Hefen	
Schimmelpilze	

Das Ergebnis der mikrobiologischen Untersuchungen ist unauffällig und nicht zu beanstanden.

*Diese Bescheinigung wurde elektronisch erstellt und ist auch ohne Unterschrift gültig.*

Die Untersuchungsbescheinigung darf von Ihnen in unveränderter, ungekürzter Fassung veröffentlicht werden und bezieht sich ausschließlich auf den genannten Prüfbericht. Diese Untersuchungsbestätigung ersetzt nicht den genannten Prüfbericht. Ohne schriftliche Genehmigung der GBA darf der Prüfbericht nicht veröffentlicht sowie nicht auszugsweise vervielfältigt werden. Entscheidungsregeln der GBA sind in den AGBs einzusehen. Jedwede Haftung aus der unzulässigen Verwendung und insbesondere Veröffentlichung dieser Untersuchungsbestätigung ist ausgeschlossen.

GBA Gesellschaft für Bioanalytik mbH · Goldtschmidtstr. 5 · 21073 Hamburg

ZeinPharma Germany GmbH

Industriestraße 29  
64569 Nauheim

ISO 14001  
ISO 45001  
zertifiziert



Our sign Wog  
Date: 29.03.2021

## Confirmation of analysis

**Product:** OptiMSM 1000 mg 120 Kapseln  
Probe-Nr.: 00386, Charge: C20120430, MHD: 30.09.2024

In the sample stated above (Certificate of analysis 21014402 -001) the following parameters were analysed

Total Plate Count	E. coli
Yeasts	
Moulds	

Results of microbiological analysis are unobjectionable regarding the tests carried out.

*This confirmation was generated automatically and is valid without signature.*

The confirmation of analysis may be published in an unchanged, unabridged version and refers exclusively to the test report mentioned. This confirmation of analysis does not replace the test report. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions. Any liability arising from the unauthorized use and in particular publication of this confirmation is excluded.